LEMBAR HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW KARYA ILMIAH: PROSIDING SEMINAR INTERNASIONAL

Judul Karya Ilmiah (Artikel)	: Determination Of Total Phenolic Content (TPC) And Antioxidant Activity Of Longan (Euphoria Longana) Seed And Peel Extracts				
Nama Penulis	Alfrida Monica Salasa, St Ratnah				
Jumlah Penulis	2 orang				
Status Pengusul	Penulis pertama				
Identitas Prosiding	a Nama Prosiding	Proceeding The 2 nd International Conference Interprofessional Collaboration On Urban Health			
	b. Nomor ISSN	: 2808-8352			
	c. Volume, Nomor, Bulan, Tahun	Vol 2, Nomor I, Juli 2019			
	d. Penyelenggara Seminar	Poltekkes Kemenkes Makasar			
	e. DOI artikel (kalau ada)	https://doi.org/10.32382/uh.v2i1.1170			
	f. Alamat web jurnal	https://journal.poltekkes-			
		mks ac id/ojs2/index.php/Prosiding/issue/view/64/showToc			
		https://journal_politekkes- mks_ac_id/ojs2/index_php/Prosiding/article/view/1170/597			
	g. Terindeks di	-			
Kategori publikasi Jurnal Ilmiah	Dipresentasikan secara oral dan o	dimuat dalam prosiding yang dipublikasikan			
(beri √ pada kategori	√ Disajikan dalam bentuk poster dan dimuat dalam prosiding yang dipublikasikan				
yang tepat)	Disajikan dalam seminar/symposium/lokakarya tetapi tidak dimuat dalam prosiding yan dipublikasikan				
	Hasil penelitian/pemikiran yang tidak disajikan dalam seminar/ symposium/ lokakarya tetapi dimuat dalam prosiding yang dipublikasikan				

Hasil penilaian Poor Review

Hasii penilaian Peer Review	<u>'</u>						
	Nilai Maksimal Jurnal Ilmiah						
Komponen yang dinilai	Dipresentasikan secara oral dan dimuat dalam prosiding yang dipublikasikan	Disajikan dalam bentuk poster dan dimuat dalam prosiding yang dipublikasikan	Disajikan dalam seminar/ symposium/ lokakarya tetapi tidak dimuat dalam prosiding yang dipublikasikan	Hasil penelitian yang tidak disajikan dalam seminar/ symposium/ lokakarya tetapi dimuat dalam prosiding yang dipublikasikan	Nilai Akhir yang diperoleh		
2 7 1	Nilai maks 15	Nilai maks 10	Nilai maks 5	Nilai maks 10			
 Kelengkapan unsur isi jurnal ilmiah (10%) 		1		The state of the s	1		
b. Ruang lingkup dan kedalaman pembahasan (30%)		3			2,5		
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)		3			2,5		
d Kelengkapan unsur dan kualitas terbitan (30%)		3					
Total = (100%)		10	441		2,5		
Nilai pengusul: 60 % X	815 =511	10			0,5		
Catatan Peer Reviewer:							

1 Tentang Kelengkapan Unsurisi Sinamahka penulikan artifel Servai dengan tempate penulikan profiding dan memiliki marryang lengkap dan jelas.

- 2. Ruang lingkup dan kedalaman pembahasan Attikel relevan dengan biolang ilmu Penulis sertu pembahasan tudah Outup baik dengan menggunakan pustakan yang relevan olan kerbaru.
- 3. Kecukupan dan Kemutakhiran data/informasi dan metodologi Attifel memiliki data yang cukup dan mulakhir dalam mendukung Kehimpulan penelihian. Metodologi Yang digunakan sudah jelas.
- 4. Kelengkapan unsur dan kualitas terbitan Jurnal protiding memiliki ISSN Serta dapat drakses secara online. Jurnal memiliki panduan penulisan artikel yang jelas
- 5. Indikasi Plagiasi Haril perigecekan plugiah dengan hurnitin Sebesur 217,
- 6. Kesesuaian bidang ilmu Tomk artikel servai dengan midung ilmu penulis.

Makassar, 26 September 2022

Reviewer 1

Nama

NIP

Dr H. Herman, S.Pd., M.Kes 196105261983031002

Unit Kerja Poltekkes Kemenkes Makassar

Jabatan Fungsional

: Lektor Kepala : Kesehatan

Bidang Ilmu

LEMBAR HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW KARYA ILMIAII : PROSIDING SEMINAR INTERNASIONAL

Judul Karya Ilmiah (Artikel)	: Determination Of Total Phenolic (Euphoria Longana) Seed And Pee	Content (TPC) And Antioxidant Activity Of Longan Extracts				
Nama Penulis	Alfrida Monica Salasa, St Ratnah					
Jumlah Penulis	2 orang					
Status Pengusul	: Penulis pertama					
Identitas Prosiding	a Nama Prosiding	Proceeding The 2 nd International Conference Interprofessional Collaboration On Urban Health				
	b. Nomor ISSN	2808-8352				
	c. Volume, Nomor, Bulan, Tahun	Vol. 2, Nomor 1, Juli 2019				
	d. Penyelenggara Seminar	Poltekkes Kemenkes Makasar				
	e. DOI artikel (kalau ada)	https://doi.org/10/32382/uh.v2i1.1170				
	f Alamat web jurnal	https://journal.poltekkes- mks.ac.id/ojs2/index.php/Prosiding/issue/view/64/showToc				
		https://journal.poltekkes- mks.ac.id/ojs2/index.php/Prosiding/article/view/1170/597				
	g. Terindeks di	•				
Kategori publikasi Jurnal Ilmiah	Dipresentasikan secara oral dan o	dimuat dalam prosiding yang dipublikasikan				
(beri √ pada kategori	√ Disajikan dalam bentuk poster dan dimuat dalam prosiding yang dipublikasikan					
yang tepat)	Disajikan dalam seminar/symposium/lokakarya tetapi tidak dimuat dalam prosiding yang dipublikasikan					
	Hasil penelitian/pemikiran yang tidak disajikan dalam seminar/ symposium/ lokakarya tetapi dimuat dalam prosiding yang dipublikasikan					

Hasil penilaian Peer Review	,						
	Nilai Maksimal Jurnal Ilmiah						
	Dipresentasikan secara oral dan	Disajikan dalam bentuk	Disajikan dalam seminar/ symposium/	Hasil penelitian yang tidak disajikan dalam	N		
12-11-1	dimuat dalam	poster dan	lokakarya tetapi	seminar/ symposium/	Nilai Akhir		
Komponen yang dinilai	prosiding yang dipublikasikan	dimuat dalam prosiding yang	tidak dimuat dalam prosiding yang	lokakarya tetapi dimuat dalam	yang		
	dipublikasikali	dipublikasikan	dipublikasikan	prosiding yang dipublikasikan	diperoleh		
	Nilai maks 15	Nilai maks 10	Nilai maks 5	Nilai maks 10			
a Kelengkapan unsur isi jumal ilmiah (10%)		1			١		
b. Ruang lingkup dan kedalaman pembahasan (30%)		3			2		
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)		3			2,5		
d. Kelengkapan unsur dan kualitas terbitan (30%)		3			2,5		
Total = (100%)		10			8		
Nilai pengusul: 60 %	× 8 : 4,	.8					

Catatan Peer Reviewer:

1. Tentang Kelengkapan Unsur isi

Artikel ini memiliki unsur in yang lengkap seruai dengan pandran penulitan providing, mulai dan abstrak sampai dengan conclusion Memiliki Kereruaian yang baik.

- 2. Ruang lingkup dan kedalaman pembahasan Artikel menampilkan data haril penelitian yang lengkap dan dibahar dengan tukup baik.
- 3. Kecukupan dan Kemutakhiran data / informasi dan metodologi Motode penelitian Sapot dipahami, Sata yang Sisajikan susah aikup In referens 48 digunton cukup rekvan.
- 4. Kelengkapan unsur dan kualitas terbitan

Prosiding yang Stuju sudah memiliki 15TN dan dapat diakser secara online. Penerbit kredille Choltekker kemenker Makassar)

- 5. Indikasi Plagiasi Tidal terdepat indikan playar
- 6. Kesesuaian bidang ilmu Topik penulitan servai dengan bidang Ilmu penulis

Makassar, 2 September 2022

Reviewer 2

Nama

NIP

Unit Kerja

Jabatan Fungsional

Bidang Ilmu

97006131998031002

: Poltekkes Kemenkes Makassar

: Lektor Kepala

: Kesehatan



17/10/22 12.00 Editorial Team

Urban Health

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS

Home > About the Journal > Editorial Team

Editorial Team

Editor in Chief

Dr. Rudy Hartono, SKM., M.Kes, Poltekkes Kemenkes Makassar

Editorial Boards

Manji Lala, Poltekkes Kemenkes Makassar Budirman Budirman, Poltekkes Kemenkes Makassar, Indonesia Mira Andini, Poltekkes Kemenkes Makassar Ikhsan Dermawan Syamsul, Poltekkes Kemenkes Makassar Hamsar Hasfat, Poltekkes Kemenkes Makassar, Indonesia Fajar Akbar, Department of Environmental Health, Mamuju Health Polytechnic, Indonesia Muhammad Askar S.Kep,Ns.,M.Kes, Jurusan Teknologi Laboratorium Medis Poltekkes Kemenkes Makassar, Indonesia

Layout Editor

Budirman Budirman, Poltekkes Kemenkes Makassar, Indonesia

ISSN: 2808-8352



17/10/22 12.01 Vol 2, No 1 (2019)

Urban Health

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS

Home > Archives > Vol 2, No 1 (2019)

Vol 2, No 1 (2019)

Interprofessional Proceedings Collaboration on Urban Health

DOI: https://doi.org/10.32382/uh.v2i1

This International Conference is entitled: The 2nd Internasional Conference Interprofessional Collaboration on Urban Health; A Strategy for All Nations, and In Collaboration with the center of excellence in the urban health study center. This conference is organized by Makassar Health Polytechnic in collaboration with Palu Health Polytechnic and Mamuju Health Polytechnic. The conference also supported by Management & Science University and Lincoln University College, Malavsia

The 2nd International Conference on Urban Health also attract representatives from Budi Luhur International Network for Education (BIN for Edu), lecturer, practician, policymakers from Ministry of Health and Local Government, and health students.

As academia, we would like to do our best to carry out an international conference on urban health to present the newest and the recent research product related to urban health for better understanding, evaluating of research in this area, and developing a strategy for all nations on managing urban health.

This international conference aims to present and to evaluate the newest and the recent interprofessional research product for developing a new strategy managing urban health on all nations.

Scope of the conference are listed below:

Climate risk

Air pollution

Housing-related health risks

Urban green spaces

Unsafe drinking water, sanitation, and waste management

Nutrition insecurity and unhealthy diets

Stunting

Food safety

Sport, exercise, and recreation

Physical and mental health

Maternal and child urban health

Stress and sleep disturbances

Non-communicable disease

Drug abuse and misuse

Herbal medicine

Sexual behavior and transmitted disease-related

Expensive medical check and treatment

Oral health

And any other urban health risk related

The present volume contains selected abstract about health urban held on July 18-19, 2019 in Makassar Indonesia.

We would like to thank all those who have contributed. We hope this proceeding can be useful to support the development of science particularly with respect to the quality of human resource development and research in the future

Table of Contents

Articles

TREATMENT OF ANEMIA IN PREGNANT WOMAN USING NUTRITION CARE PROCESS (NCP) APPROACH; Case

Study in Salewangeng Health Centre, Wajo Regency)

Andi Asmaul Husna, Asmaruddin Pakhri, Rudy Hartono

CONTAMINATION OF WORM EGGS IN CABBAGE (BRASSICA OLERACEA) AND LETTUCE VEGETABLES
(LACTUCA SATIVA) IN TRADITIONAL MARKETS OF MAKASSAR
Fatmawati Rahim, Andi Ruhban, Wahyuni Sahani

ION EXCHANGE FILTER MEDIA CAPABILITIES REDUCE LEVEL OF NITRATE DUG WELL WATER COASTAL AREA
Ain Khaer, Budirman Budirman

OPEN JOURNAL SYSTEMS Journal Help **USER** Username Password Remember me Login **NOTIFICATIONS** View Subscribe LANGUAGE Select Language English Submit JOURNAL CONTENT Search Search Scope ΑII Search Browse ▶ By Issue By Author By Title Other Journals FONT STZE INFORMATION For Readers

For Authors

For Librarians

17/10/22 12.01 Vol 2. No 1 (2019)

THE EFFECT OF THE DURATION OF MORNING PHELGM STORAGE AT ROOM TEMPERATURE ON THE NUMBER PDF (FULL TEXT) OF ACID RESISTANT BACTERIA Artati Artati, Arfiani Nur, Subakir Salnus DETERMINATION OF TOTAL PHENOLIC CONTENT (TPC) AND ANTIOXIDANT ACTIVITY OF LONGAN (Euphoria PDF (FULL TEXT) Longana) SEED AND PEEL EXTRACTS Alfrida Monica Salasa, St Ratnah PDF (FULL TEXT) BODY PICTURE AND EATING BEHAVIOR OF THE ADOLESCENT GIRL IN NUTRITION DEPARTMENT Fatmawaty Suaib, Restu Mangiri Paembonan, Siti Nur Rochimiwati THE STANDARDIZED NUTRITION CARE PROCESS FOR MALNUTRITION TODDLERS IN ENREKANG DISTRICT PDF (FULL TEXT) Hasriani Syamsul, Manjilala Manjilala, Sirajuddin Sirajuddin EFFECTIVENESS TEST OF THE COMBINATION OF ETHANOL EXTRACT OF MIANA LEAVES (COLEUS SCUTELLARIOIDES (L.) BENTH) AND PEGAGAN LEAVES (CENTELLA ASIATICA (L.) URB) AS ANTIBACTERIAL PDF (FULL TEXT) AGAINST STREPTOCOCCUS PNEUMONIAE AND KLEBSIELLA PNEUMONIAE CAUSING COUGH Kasih Karunia, Afica Prisca Pandin, Sesilia R. Pakadang CORRELATION OF EDUCATION LEVEL AND SOCIO-ECONOMIC WITH STUNTING CASE FOR TODDLERS IN THE PDF (FULL TEXT) WORKING AREA OF UPT LAU HEALTH CENTER, LAU SUB-DISTRICT, MAROS REGENCY THE RELATIONSHIP BETWEEN KNOWLEDGE WITH PREGNANT WOMEN'S BEHAVIOR IN THE FIRST SEMESTER PDF (FULL TEXT) ABOUT EMESIS GRAVIDARUM AT MANGASA HEALTH CENTER, MAKASSAR Khairun Nisa Lukman, Subriah Subriah, Rostiaty Natsir IMPROVEMENT OF METABOLIC DISORDERS AND NUTRITIONAL INTAKE AND ANTHROPOMETRIC STATUS STUNTING TODDLERS WITH CYSTEINE AMINO ACID SUPPLEMENTATION PDF (FULL TEXT) Hendrayati Hendrayati, Andi Toewo Titi, Zakaria Zakaria FACTORS RELATED TO SELF MEDICATION IN PAI III OF BIRINGKANAYA SUBDISTRICT MAKASSAR PDF (FULL TEXT) agust dwi djajanti, Ermawati Ermawati, Yusriyani Yusriyani, Dzulasfi Dzulasfi, Rusli Rusli DETERMINANT FACTORS OF SEXUAL ORIENTATION IN YOUNG-GAY, SHEMALE, MEN WHO SEX WITH MEN PDF (FULL TEXT) (MSM)IN MAKASSAR CITY Sri Nurjianti, Mirna Mirna, Andi Asrina, Arman Arman PDF (FULL TEXT) PROFILE TOTAL POLYPHENOLOF THE ETHANOL EXTRACT FROM DENGEN (Dilleniaserrata) LEAF AND STEM BARK WHICH COMES FROM MALANGKE CITY LUWU DISTRICT Santi Sinala, Ismail Ibrahim, Alfrida Monica Salasa THE ROLE OF PUBLIC HEALTH WORKERS AS A FACILITATOR IN PREVENTING OF MATERNAL DEATH IN PDF (FULL TEXT) GOWA DISTRICT Yusriani Yusriani, Muhammad Khidri Alwi, Yuni Romalita, Serawati Dewi PREGNANT MOTHER'S BEHAVIOR IN THEIR FIRST PREGNANCY EXAMINING IN THE WORKING AREA OF PDF (FULL TEXT) JUMPANDANG BARU HEALTH CENTER, MAKASSAR CITY Nurul Amaliah Abbas, Theresia Limbong, Subriah Subriah THE RELATIONSHIP BETWEEN EARLY INITIATION OF BREASTFEEDING AND FREQUENCY OF PDF (FULL TEXT) BREASTFEEDING WITH UTERINE INVOLUTION IN POSTPARTUM MOTHERS AT MAMAJANG HEALTH CENTER MAKASSAR CITY Nurul Annisani, Fitriati Sabur, Agustina Ningsi PDF (FULL TEXT) RELATIONSHIP BETWEEN LEVEL OF EDUCATION AND MOTHER'S KNOWLEDGE ABOUT STIMULATION, DETECTION AND EARLY INTERVENTION OF CHILD DEVELOPMENT (SDIDTK) WITH CHILD DEVELOPMENT IN CAMBAYYA URBAN VILLAGE Sulastri Sulastri, Ros Rahmawati, Rostiaty Natsir THE RELATIONSHIP BETWEEN KNOWLEDGE AND ATTITUDE OF POSTPARTUM MOTHER ABOUT PROPER BREASTFEEDING TECHNIQUES WITH BREAST MILK DAM PROBLEM IN THE PUBLIC HEALTH CENTER OF PDF (FULL TEXT) JUMPANDANG BARU MAKASSAR CITY Ummu Salmah Syafruddin, Syaniah Umar, Andi Syintha Ida ZINC AND PROTEIN LEVELS IN NUGGETS WITH BLOOD CLAM (Anadara granosa) SUBSTITUTION PDF (FULL TEXT) Alya Fajrani Rizal, Hendrayati Hendrayati, Sunarto Sunarto ACCEPTABILITY AND TEST THE LEVELS OF PROTEIN AND CALCIUM IN A CHEESE STICK WITH THE PDF (FULL TEXT) SUBSTITUTION OF MACKEREL Charles Patrick Maliando Nely, Fatmawaty Fatmawaty, Rudy Hartono PDF (FULL TEXT) ANALYSIS OF DIFFERENCES IN ERYTHROCYTE MORPHOLOGY IN K3EDTA AND Na2EDTA BLOOD CLOTS BASED ON TIME SAMPLE STORAGE Rahmat Aryandi, Subakir Salnus, AR Pratiwi Hasanuddin, Asdinar Asdinar THE PATIENT SATISFACTION ON DRUG INFORMATION SERVICES IN PHARMACY INSTALLATION OF ANDI PDF (FULL TEXT) MAKKASAU HOSPITAL IN PAREPARE, SOUTH SULAWESI Sainal Edi Kamal, Rina Asrina, Muh Farid Hasyim, Rusli Rusli, zulfiah zulfiah RELATIONSHIP BETWEEN AGE AND PARITY OF MOTHER WITH PRE-ECLAMPSIA OCCURRENCE IN PREGNANT PDF (FULL TEXT) WOMEN IN THE WORK AREA OF THE PUSKESMAS MANGASA, MAKASSAR CITY Alfi Syahar Yakub, Iwan Sain, Sukma Saini ENVIRONMENTAL HEALTH POST FLASH FLOODS DISASTER (A STUDY CASE IN SOUTH-DOLO SUBDISTRICT, PDF (FULL TEXT) REGENCY OF SIGI) Amsal Amsal, Hasanudin Hasanudin, Saharudin Saharudin PDF (FULL TEXT) ANALYSIS OF RISK FACTORS OF STUNTING IN KINDERGARTEN IN BORONG PA'LALA, GOWA REGENCY St Aminah, Sukma Sain HUSBAND SUPPORT AND THE ACTIVITY OF HEALTH OFFICERS TO ANTENATAL CARE (ANC) VISITS OF PDF (FULL TEXT)

Vol 2, No 1 (2019)

17/10/22 12.01 PREGNANT WOMEN Lisnawati Lisnawati, Sumiaty Sumiaty, Unun Fadliah Ruslan Hasani, Akhmad Akhmad, Ramlah Dilla THE PROSTHESIS

Burlian Mughnie, Galuh Nurul Annisa, Ahmad Jet Adyas Ernawati Ernawati, Alfiah Alfiah, M Askar WOUNDS ON GUINEA PIGS (Cavia Porcallus) Rusmini Rusmini, Andrayani Andrayani Asmarudin Pakhri, Abdullah Tamrin Hendrik Hendrik, Yonathan Ramba, Andy MA Hariandja Hikmawati Mas'ud Lydia fanny, Yusdalifah Anna, Nursalim Nursalim

ANALYSIS OF THE USE OF DRUG CATEGORY OFF LABEL IN HOSPITAL PATIENTS AT HOSPITAL PDF (FULL TEXT) Rusli rusli, Junaedi Junaedi, Hubbi HP, Agust Dwi Djajanti, Jefrin Sambara, Nielma Aulia, Herman Herman THE EFFECT OF THE BALL GRASPING THERAPY ON THE STRENGTH OF UPPER LIMB MUSCLES IN POST-STROKE PATIENTS FROM STELLA MARIS HOSPITAL IN MAKASSAR PDF (FULL TEXT) Henny Pongantung, Rosdewi Rosdewi, Armila Ruthnianingsih, Asniati Asniati THE IMPLEMENTATION OF THE ROLE AND FUNCTION OF FAMILY AND TAKEHOLDER INTEREST IN SUPPORTING FULFILLMENT OF THE FIRST 1000 DAYS OF A CHILD'S LIFE PDF (FULL TEXT) THE EFFECT OF EDUCATIONAL COUNSELING ON THE KNOWLEDGE OF THE AMPUTEE IN USING AND CARING PDF (FULL TEXT) THE RELATION OF LENGTH OF USE THE INJECTED CONTRACEPTION WITH SEXUALITY ON FERTILE WOMEN PDF (FULL TEXT) IN COVERAGE AREA OF PUSKESMAS CAILE, BULUKUMBA, INDONESIA RISK BEHAVIOR OF MEN WHO HAVE SEX WITH MEN (MSM) IN BULUKUMBA DISTRICT, 2019 PDF (FULL TEXT) Intan Deasy Agmaitry, Sukirawati Sukirawati, Sri Salmawati, Andi Asrina, Fairus Prihatin Idris THE DIFFERENCE OF EFFECTIVENESS BETWEEN CHITOSAN PLASTERS, NaCl, AND BETADINE IN HEALING PDF (FULL TEXT) THE ROLE OF YOUTH NUTRITION CADRES IN THE SELECTION OF YOUTH SNACK FOODS IN SCHOOLS PDF (FULL TEXT) ANALYSIS OF CONTENTS OF MACRO AND MICRO NUTRITION IN THE COUPLES OF GUDE NUT FLOUR (CAJANUS CAJAN) AND MOCAF FLOURS (MODIFIED CASSAVA FLOUR)

Chaerunnimah Chaerunnimah, Aswita Amir PDF (FULL TEXT) FACTORS CAUSING NON-HEMORRHAGIC STROKE AT THE AGE OF YOUNG ADULTS PDF (FULL TEXT) THE BALANCE OF BIOCULTURE AND SOCIOCULTURE WITHIN FOOD CULTURE (Case: Obesity at Buginess PDF (FULL TEXT) ACCEPTABILITY AND NUTRITION INGREDIENTS OF TEMPEH STICK WITH ANCHOVY FLOUR ADDITION PDF (FULL TEXT) THE EFFECT OF NUTRITION EDUCATION THROUGH WHATSAPP TO THE NUTRITIONAL KNOWLEDGE OF MOTHERS ABOUT FOOD CHILDREN PICKY EATER PDF (FULL TEXT) Nadimin Nadimin, Zakaria Zakaria, Sitti Arumwulandari IDENTIFICATION OF PRESCRIBING ERRORS IN A PEDIATRIC OUTPATIENT AT RSUD LANTO DAENG PASEWANG KABUPATEN JENEPONTO PDF (FULL TEXT) Raimundus Chalik **IRON IN COOKIES WITH BEEF FLOUR SUBSTITUTE** PDF (FULL TEXT) suriani rauf, Asmarudin Pakhri, Hasmawati Hasmawati PDF (FULL TEXT) NUTRITIONAL EDUCATION EFFECTS THROUGH INSTAGRAM ON ENERGY INFLUENCE AND YOUTH **NUTRITION STATUS** Thresia Dewi Kartini, Agustian Ipa, Ayu Wirdani COMPATIBILITY TEST DIAGNOSTIC KITS OF **NONSTRUCTURAL-1** PDF (FULL TEXT) IMMUNOCROMATOGRAPHY METHOD OF PATIENT'S SERUM WITH SUSPECT DENGUE HAEMORRHAGIC FEVER Yaumil Fachni Tandjungbulu, Zulfikar Ali Hasan, Haerani Haerani INFLUENCE OF POCKET BOOKS AND POSTPARTUM MATERNAL COMPANIONS AGAINTS ON THE NEONATAL REGULARITY AND POSTPARTUM VISITS IN MAMUJU DISTRICT 2018 PDF (FULL TEXT) Agus Erwin Ashari, Ahmady Ahmady ANALYSIS OF PROLONGED LABOR AND PREMATURE RUPTURE OF MEMBRANES RISK FACTORS ON THE PDF (FULL TEXT) OCCURRENCE OF ASFIKSIA IN A NEW BORN BABIES IN MAMUJU DISTRICT, 2017 - 2018 Ahmady Ahmady, Ashriady Ashriady, Dina Mariana EFFECTIVENESS DIFFERENCE OF SWEET ORANGE PEEL EXTRACT (CITRUS SINENSIS) AND LIME PEEL PDF (FULL TEXT) EXTRACT (CITRUS AURANTIFOLIA) AS BIOLARVASIDA FOR AEDES AEGYPTI LARVAE Fahrul Islam, Fajar Akbar EFFECTIVENESS OF POMELO (Citrus maxima) AND LIME (Citrus aurantifolia) ORANGE PEEL EXTRACT AS PDF (FULL TEXT) Aedes aegypti BIOLARVASIDA Fajar Akbar, Fahrul Islam PDF (FULL TEXT) CONSUMPTION OF THE VEGETABLE AND FRUIT IN ELEMENTARY SCHOOL IN MAMUJU REGENCY, WEST SULAWESI Hapzah Hapzah, Ulfa Ulfa PDF (FULL TEXT) AGE OF THE FIRST MARRIED AS ONE OF FACTORS APPEARING CHILDREN WITH STUNTING IN POLEWALI MANDAR DISTRICT, WEST SULAWESI Irma Muslimin, Adriyani Adam, Abdul Ganing EFFECTIVENESS OF MANGROVE PLANT (Rhizophora stylosa) AS NATURAL LARVACIDES OF Aedes aegypti PDF (FULL TEXT)

Ridhavani Adiningsih, Faiar Akbar

17/10/22 12.01 Vol 2, No 1 (2019)

THE RELATION BETWEEN PARENTING PATTERN WITH THE DEVELOPMENT OF BADUTA IN MAMUJU
REGENCY, WEST SULAWESI
Supratti Supratti, Zulhaini Sartika A. Pulungan

NUTRIENT CONTENT ON MORINGA SEEDS BASED ON AGE OF THE FRUIT
Yudianti Yudianti, Muh Hasyim, Najdah Najdah

THE EFFECT OF HONEY GIVING ON WEIGHT GAIN OF TODDLERS IN MAMUJU DISTRICT
Rahmat Haji Saeni, Hapzah Hapzah, Erdiawati Arief

Deep Breathing Relaxation Technique toward Decrease Pain Intensity in Post Operative Patients at Mamuju
District Public Hospital
Imelda Appulembang, Asrie Abu

ISSN: 2808-8352

DETERMINATION OF TOTAL PHENOLIC CONTENT (TPC) AND ANTIOXIDANT ACTIVITY OF LONGAN (Euphoria Longana) SEED AND PEEL EXTRACTS

Alfrida Monica Salasa¹, St. Ratnah^{1a}

¹Pharmacy Department, Health Polytecnic of Makassar ^aCorresponding author: <u>mansjurratnah@yahoo.com</u>

ABSTRACT

Longan (Euphoria longana) is a widely consumed fruit in Indonesia. The flesh is consumed, while the seed and the peel of Longan remain as waste despite of its chemical contents such as phenolic compounds (phenolic acids and flavonoids) with antioxidant properties. This study aimed to determine the total phenolic contents (TPC) and antioxidant activity of Longan seed and peel extract and to find out the relationship between total phenolic content and antioxidant activity. The seed and peel of Longan was separated from the flesh, then mashed and then dried. Furthermore, Longan seed was extracted by soxhletation method and fruit peel was extracted by maceration method using 96% ethanol as a solvent. The diluted extract was evaporated until a concentrated extract was obtained. The TPC was determined using Folin ciocalteu reagent and the absorption was measured using a UV-VIS spectrophotometer at a wavelength of 745 nm. Antioxidant activity was determined using 1,1-diphenyl-2-picryl-hydrazil (DPPH) reagent and the absorption was measured using a UV-VIS spectrophotometer at a wavelength of 516 nm. The TPC of Longan seed extract was 17.24% while fruit peel extract was 9.67%. Antioxidant activity expressed as IC₅₀ for seed extracts was 57.24 ppm(strong antioxidant) and fruit peel extracts was 120.82 ppm (moderate antioxidant). These results indicate that Longan seed extract has a higher TPC and stronger antioxidant activity compared to Longan fruit peel extract. It can be concluded that the higher the TPC the more active the antioxidant activity

Keywords: Longan Seed Extract, Longan Peel Extract, TPC, Antioxidant Activity

INTRODUCTION

Natural plants contain phytochemical compounds with antioxidants antibacterial properties. Longan ((Euphoria longana) Stend (Harborne, 1987)) is a widely consumed fruit in Indonesia with aforementioned properties. The most edible part of the fruit is the flesh, while the seed and the peel remain as organic waste. Despite as organic waste, both contain phytochemical compounds that can be used both as antioxidants and antibacterial. Based on the results of several scientific studies, Longan seed and peel have various chemical compounds. Jaitrong et al. (2006) reported that the chemical content in the fruit peel is gallic acid, flavone glycoside, and hydroxynamic with the main content of flavone in the form of guercetin and kaemferol while Longan Seed Components are in the form of Phenolic and Flavonoids. Some of chemical compounds that actively act as antioxidants include polyphenol compounds (phenolic acids and flavonoids), alkaloids, steroids or triterpenoids (saponins), and anthraquinones (Bai et al, 2013 in Perwiratami et al, 2014).

METHOD

Sample Preparation
 Longan fruit were collected from the fruit store. The fruit was washed and left

to dry. The flesh was separated from the peel and the seed. The seed was washed to remove the remaining flesh. After that, the seed was roughly grown and dried. The peel was cut into small pieces and left to dry.

2. Extract Preparation

Longan seed was extracted by soxhletation method and fruit peel was extracted by maceration method using 96% ethanol as a solvent. The diluted extract was evaporated until a concentrated extract was obtained.

Determination of TPC

- a. Qualitative Evaluation
 The concentrated extract was dissolved in 2 ml of ethanol 96%, added 1 ml of 10% Ferric Chloride.
 The formation of dark blue, blackish blue or greenish black color indicates the presence of
- phenolic compounds.

 b. Quantitative Evaluation
 Standard solution of gallic acid
 series 10, 20, 30, 40, 50 and 60
 ppm was prepared. 25 mg of each
 extract was weighed and
 transferred into 25,0 ml volumetric
 flask, then it was diluted by ethanol
 96% to make a stock solution of 1
 mg/ml. 2,0 ml of stock solution was
 diluted in a 10 ml volumetric flask

to make a final concentration of 0,2 mg/ml. Each standard solution and diluted extracts was piped as much of 0.3 mL and then transferred into a vial. 1,5 ml of Folin (1:10) was added and left to stand for 3 minutes. After 3 minutes, 1,2 mL of 7,5% Sodium Carbonate was added and let it sit for 30 minutes. The absorption was measured using a UV-VIS spectrophotometer at a wavelength of 745 nm.

The antioxidant activity was measured based on the method developed by Mensor et al with some modifications, 2,2-diphenyl-1-picryl-hydrazyl (DPPH). Stock solution of 1 mg/ml of the extract were diluted in ethanol to final concentration of 15, 30, 45, 60 and 75 µg/ml (ppm) for the Longan seed extract and a final series concentration of 30, 60, 90, 120 and 150 for the Longan peel extract. DPPH solution were added to the diluted sample and allowed to react at room temperature for 30 minutes. Each concentration was replicated three times. The absorbance values were measured at 516 nm

Antioxidant Activity Assay

RESULT AND DISCUSSION

1. TPC

a. Qualitative Test

Type of Extract	Reagent	Observation	Conclusion
Seed	FeCl₃	Blackish green	+
Peel	FeCl₃	Blackish Green	+

b. Quantitative Test

The TPC was determined using Folin ciocalteu reagent and the absorption was measured using a UV-VIS

spectrophotometer at a wavelength of 745 nm, the result was shown at the table below:

Sample	Weight (gram)	TPC (mgGAE/g extract)	TPC (%)	TPC Average (%)
Seed Extract	0,0251	177,04	17,70	
	0,0255	171,67	17,17	17,24
	0,0258	168,45	16,85	
Peel Extract	0,0258	89,19	8,92	
	0,0254	103,05	10,31	9,67
	0,0253	97,83	9,78	

2. Antioxidant Activity Assay

Antioxidant activity was determined using 1,1-diphenyl-2-picryl-hydrazil (DPPH) reagent and the absorption was measured using a UV-VIS spectrophotometer at a wavelength of 516 nm. The result was presented in the table below:

Table 3. Antioxidant Activity of Longan Seed Extract

Replication	Concentration (ppm)	Absorption	% Inhibition	IC50 (ppm)	IC50 average (ppm)
	15	0,74264	16,5469		
	30	0,64901	27,0685		
1	45	0,53496	39,8847	56,61	
	60	0,42482	52,2615		
	75	0,30145	66,1250		
	15	0,73623	17,2673		
	30	0,64431	27,5966		
II	45	0,53947	39,3779	57,09	57,24
	60	0,41494	53,3717		
	75	0,31886	64,1686		
	15	0,75146	15,5558		
	30	0,65104	26,8404		
III	45	0,54008	39,3094	58,02	
	60	0,42017	52,7841		
	75	0,32888	63,0426		
	DPPH	0,88989			

Table 4.Antioxidant Activity of Longan Peel Extract

Replication	Concentration (ppm)	Absorption	% Inhibition	IC50 (ppm)	IC50 average (ppm)
	30	0,76442	14,0995		
	60	0,64870	27,1033		
I	90	0,53514	39,8645	120,21	
	120	0,44054	50,4950		
	150	0,35386	60,2355		
	30	0,76225	14,3433		
	60	0,64683	27,3135		
II	90	0,54045	39,2678	119,99	120,82
	120	0,44108	50,4343		
	150	0,34946	60,7299		
	30	0,76089	12,9000		
	60	0,67917	23,6793		
Ш	90	0,54519	38,7351	122,25	
	120	0,45645	48,7071		
	150	0,34788	60,9075		
	DPPH	0,88989			

DISCUSSION

This study aims to determine the TPC and antioxidant activity of Longan Seed and Peel Extract. The most edible part of Longan fruit is the flesh, while the seed and the peel remain as organic waste. However the remaining organic waste contains chemical compounds in the form of phenolic compounds act as antioxidants. Antioxidant

activity of phenolic compound is based on their ability to form phenoxide ions as a donor electron to free radicals to form nonradical compounds.

The seed and peel of Longan was separated from the flesh, then mashed and then dried. Furthermore, Longan seed was extracted by soxhletation method and fruit peel was extracted by maceration method using 96% ethanol as a solvent. The

selection of extraction methods was adjusted to the texture of each simplicia, where the longan peel had a soft texture so that the extraction method used was maceration. While longan seed had a rather hard texture so that the soxhletation method was used. Ethanol 96% which is a semipolar solvent dissolves all polar and nonpolar compounds so that all the natural compounds can be extracted perfectly. The diluted extract was evaporated until a concentrated extract was obtained and tested for TPC and antioxidant activity.

The TPC testing began with a qualitative test using FeCl₃ reagent to determine whether the seed and the peel contain phenolic compounds. Both extract reacted with FeCl₃ forming a blackish green color which confirm the presence of phenolic compounds. The test was continued to determine the TPC quantitatively using ciocalteu reagent and sodium carbonate. This method is based on the strength of reducing the hydroxyl groups of phenolic compounds. Folin ciocalteu reacts with phenolic compounds to form yellow color and after addition of sodium carbonate, the solution will be in blue color. Sodium carbonate provides an alkaline atmosphere for the overall reaction which allow folin ciocalteu to react with phenolic compounds, which cannot be done in an acidic atmosphere. The presence of aromatic nuclei in phenol compounds reduce phosphotungstate phosphomolibdate to blue molybdenum. The absorption was measured by using **UV-VIS** spectrophotometry at a wavelength of 745 nm. The standard solution for TPC was gallic acid. The results showed that the TPC equivalent to gallic acid for seed extract was amounted to 17.24% while for the peel extract was 9.67% indicating that the TPC of the seed extract was greater than that of the peel extract.

The next assay was the antioxidant activity assay using DPPH as a reagent. DPPH is a stable free radical with purple color(absorbed at 516nm). If free radicals have been scavenged, DPPH will generated it's color to yellow. This assay uses this character to show herbs free radical scavenging activity. Antioxidant activity is expressed in Inhibition Concentration 50% (IC₅₀). IC₅₀ represents the concentration in which the inhibition of free radical DPPH by 50%. Antioxidant activity expressed as IC₅₀ for seed extracts

was 57.24 ppm (strong antioxidant (50-100 ppm)) and fruit peel extracts was 120.82 ppm (moderate antioxidant (101-250 ppm)). This result indicated that the longan seed extract has a stronger antioxidant activity than the longan peel extract.

Based on the result on TPC and antioxidant activity, there was a correlation between the TPC and the antioxidant activity. The higher the TPC the stronger the antioxidant activity.

CONCLUSION

Based on the result it can be concluded that:

- 1. TPC of Longan seed and peel extract was 17,24% and 9,67% respectively.
- 2. Antioxidant activity expressed as IC₅₀ was 57,24 ppm for the Longan seed extract and 120,82 ppm for the Longan peel extact.
- 3. There was a correlation between the TPC and the antioxidant activity. The higher the TPC the stronger the antioxidant activity

REFERENCES

- Arnelia, 2002, *Fito-Kimia Komponen Ajaib Cegah PJK, DM, dan Kanker*http://Puslitbangbogor.go.id/
- Bai, M., Wang, C., Zong, S., Lei, M., Gao, J., 2013, Antioxidant Polyketide Phenolic Metabolites from The Edible Mushroom Cortinariuspurpurascens, Food Chemistry.
- Harborne, J. B., 1987, *Metode Fitokimia: Penuntun Cara Modern Menganalisis*

Tumbuhan, Penerbit ITB, Bandung. Hattenschwiller, S., dan Vitousek, P. M., 2000, The role of polyphenols interrestrialecosystem nutrient cycling.Review PII: S0169-5347(00)01861-9 TREE vol. 15,

no.6 June 2000.

Isnindar, Wahyono, S., & Setyowati, E. P., 2011, Isolasi dan identifikasi senyawa antioksidan daun kesemek (diospyros kaki thumb.) dengan metode DPPH (2,2-difenil-1-pikrihidrazil). Majalah Obat Tradisonal.

(online),(https://mot.farmasi.ugm.ac _id/files/938.%20lsnindar.pdf

Jaitrong, S., Nithiya R. and John A. M., 2006, Analysis of The Phenolic

- Compounds in Longan (Euphoria longan Lour. Steud) Peel, Journal.
- Mailandari, M., 2012, Uji Aktivitas Antioksidan Ekstrak Daun *Garcinia kydia Roxb.* Dengan Metode DPPH dan Identifikasi Senyawa Kimia Fraksi yang Aktif, *Skripsi*, Program Studi Ekstensi Farmasi FMIPA UI Jakarta: tidak diterbitkan.
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicryl-hydrazil (DPPH) for Estimating Antioxidant Activity. Songklanakarin J. Science Technology.
- Morton, J., 1987, Fruit of Warm Climates: Longan Miami. (online), (www.hort.purdue.edu/newcrop/morton/longan.html
- Nur, S., R., 2011, Aktvitas Antibakteri Ekstrak Etanol Kulit dan Biji Kelengkeng (Euphoria longan (Lour.) Steud) terhadap Escherichia coli dan Staphylococcus aureus serta toksisitasnya terhadap Artemia salina Lech". Skripsi. Unirversitas Muhammadiyah Surakarta. Surakarta.
- Purwaningsih. S., 2012, Aktivitas Antioksidan dan Komposisi Kimia Keong Matah Merah (*Cerithideaobtusa*) .*Ilmu Kelautan*. (online)
- Radji, M., 2011. *Mikrobiologi*, Buku Kedokteran EGC, Jakarta.
- Rahman, K. M., Kamrun, N., Mohammad, G. U. K., Choudhury, M. H., 2007, Phytochemical and Biological Studies on Nephelium longan, Boletin Latinoamericano y del Caribe de Plants Madicinales y Aromaticans, (online).
- Soong, Y. Y. and Philip John Barlow, 2005, Isolation and Structure Elucidation of Phenolic Compounds from longan (Euphoria longan Lour. Steud.) seed by High-Performance Liquid Chromatography—Electrospray Ionization Mass Spectrometry, Journal.
- Triwinata, M.R., 2006, Pengenalan dan Pengembangan Lengkeng Dataran Rendah di Indonesia.

 Makalah Workshop Lengkeng.
 Jakarta.
- Wardani, H.A., 2015, Aktivitas Antioksidan Vitamin E Alami dan Vitamin E Sintesis Dengan Metode DPPH. Karya Tulis Ilmiah. Tidak

- Diterbitkan. Makassar: Fakultas Farmasi, Politeknik Kesehatan.
- Winarsi, H., 2007, Antioksidan Alami dan Radikal Bebas Potensi dan Aplikasinya dalam Kesehatan. Yogyakarta: Kanisius.
- Yu, L., 2008, Wheat Antioksidants. New Jersey: John Wiley & Sonns,