

**HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : PROSIDING SEMINAR INTERNASIONAL**

Judul Karya Ilmiah (Artikel)	: Determination Of Total Phenolic Content (TPC) And Antioxidant Activity Of Longan (<i>Euphoria longana</i>) Seed And Peel Extracts	
Nama Penulis	: Alfrida Monica Salasa, St. Ratnah	
Jumlah Penulis	: 2 orang	
Status Pengusul	: penulis ke 2	
Identitas Prosiding	a. Nama Prosiding	Proceeding The 2 nd International Conference Interprofessional Collaboration on Urban Health
	b. Nomor ISSN	2808-8352
	c. Volume, Nomor, Bulan, Tahun	Vol 2, Nomor 1, 18 Juli 2019
	d. Penyelenggara Seminar	Poltekkes Kemenkes Makassar
	e. DOI artikel (kalau ada)	https://doi.org/10.32382/uh.v2i1
	f. Alamat web jurnal	https://journal.poltekkes-mks.ac.id/ojs2/index.php/Prosiding/issue/view/64/showToc https://journal.poltekkes-mks.ac.id/ojs2/index.php/Prosiding/article/view/1170/597
	g. Terindeks di	-
Kategori publikasi Jurnal Ilmiah (beri <input checked="" type="checkbox"/> pada kategori yang tepat)	Dipresentasikan secara oral dan dimuat dalam prosiding yang dipublikasikan	
	<input checked="" type="checkbox"/> Disajikan dalam bentuk poster dan dimuat dalam prosiding yang dipublikasikan	
	Disajikan dalam seminar/symposium/lokakarya tetapi tidak dimuat dalam prosiding yang dipublikasikan	
	Hasil penelitian/pemikiran yang tidak disajikan dalam seminar/ symposium/ lokakarya tetapi dimuat dalam prosiding yang dipublikasikan	

Hasil penilaian *Peer Review*

Komponen yang dinilai	Nilai Maksimal Jurnal Ilmiah				Nilai Akhir yang diperoleh
	Dipresentasikan secara oral dan dimuat dalam prosiding yang dipublikasikan	Disajikan dalam bentuk poster dan dimuat dalam prosiding yang dipublikasikan	Disajikan dalam seminar/ symposium/ lokakarya tetapi tidak dimuat dalam prosiding yang dipublikasikan	Hasil penelitian yang tidak disajikan dalam seminar/ symposium/ lokakarya tetapi dimuat dalam prosiding yang dipublikasikan	
	Nilai maks 15	Nilai maks 10	Nilai maks 5	Nilai maks 10	
a. Kelengkapan unsur isi jurnal ilmiah (10%)		1			1
b. Ruang lingkup dan kedalaman pembahasan (30%)		3			2,5
c. Kecukupan dan kemutakhiran data/ informasi dan metodologi (30%)		3			2,5
d. Kelengkapan unsur dan kualitas terbitan (30%)		3			3
Total = (100%)		10			9

Nilai Pengusul : $40\% \times 9 = 3,6$

Catatan Peer Reviewer :

1. Tentang Kelengkapan Unsur isi

Penulisan artikel sudah sesuai dengan pedoman seminar internasional, Tujuan, analisis data dan kesimpulan memiliki hubungan yang sesuai

2. Ruang lingkup dan kedalaman pembahasan

Kedalaman pembahasan sudah cukup memadai karena ruang lingkup artikel sesuai dengan bidang ilmu penulis, Pustaka yang digunakan 5-10 tahun terakhir

3. Kecukupan dan Kemutakhiran data / informasi dan metodologi

Data yang disajikan sudah sesuai dengan topik penelitian, memberikan informasi yang berguna untuk bidang ilmu farmasi. Pustaka yang digunakan 70% Pustaka primer.

4. Kelengkapan unsur dan kualitas terbitan

Unsur jurnal lengkap, kualitas terbitan bagus dan terbit secara online


5. Indikasi Plagiasi

Tidak terdeteksi adanya indikasi plagiasi

6. Kesesuaian bidang ilmu

Sesuai bidang ilmu

Makassar, 20 September 2022
Reviewer I


Nama : Dr. H. Ashari Rasjid, SKM, MS
NIP : 196307231983021001
Unit Kerja : Poltekkes Kemenkes Makassar
Jabatan Fungsional : Lektor Kepala
Bidang Ilmu : Kesehatan

**HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : PROSIDING SEMINAR INTERNASIONAL**

Judul Karya Ilmiah (Artikel)	: Determination Of Total Phenolic Content (TPC) And Antioxidant Activity Of Longan (<i>Euphoria longana</i>) Seed And Peel Extracts	
Nama Penulis	: Alfrida Monica Salasa, St. Ratnah	
Jumlah Penulis	: 2 orang	
Status Pengusul	: penulis ke 2	
Identitas Prosiding	a. Nama Prosiding	Proceeding The 2 nd International Conference Interprofessional Collaboration on Urban Health
	b. Nomor ISSN	2808-8352
	c. Volume, Nomor, Bulan, Tahun	Vol 2, Nomor 1, 18 Juli 2019
	d. Penyelenggara Seminar	Poltekkes Kemenkes Makassar
	e. DOI artikel (kalau ada)	https://doi.org/10.32382/uh.v2i1
	f. Alamat web jurnal	https://journal.poltekkes-mks.ac.id/ojs2/index.php/Prosiding/issue/view/64/showToc https://journal.poltekkes-mks.ac.id/ojs2/index.php/Prosiding/article/view/1170/597
	g. Terindeks di	-
Kategori publikasi Jurnal Ilmiah (beri <input checked="" type="checkbox"/> pada kategori yang tepat)	Dipresentasikan secara oral dan dimuat dalam prosiding yang dipublikasikan	
	<input checked="" type="checkbox"/> Disajikan dalam bentuk poster dan dimuat dalam prosiding yang dipublikasikan	
	Disajikan dalam seminar/symposium/lokakarya tetapi tidak dimuat dalam prosiding yang dipublikasikan	
	Hasil penelitian/pemikiran yang tidak disajikan dalam seminar/ symposium/ lokakarya tetapi dimuat dalam prosiding yang dipublikasikan	

Hasil penilaian *Peer Review*

Komponen yang dinilai	Nilai Maksimal Jurnal Ilmiah				Nilai Akhir yang diperoleh
	Dipresentasikan secara oral dan dimuat dalam prosiding yang dipublikasikan	Disajikan dalam bentuk poster dan dimuat dalam prosiding yang dipublikasikan	Disajikan dalam seminar/ symposium/ lokakarya tetapi tidak dimuat dalam prosiding yang dipublikasikan	Hasil penelitian yang tidak disajikan dalam seminar/ symposium/ lokakarya tetapi dimuat dalam prosiding yang dipublikasikan	
	Nilai maks 15	Nilai maks 10	Nilai maks 5	Nilai maks 10	
a. Kelengkapan unsur isi jurnal ilmiah (10%)		1			1
b. Ruang lingkup dan kedalaman pembahasan (30%)		3			2
c. Kecukupan dan kemutakhiran data/ informasi dan metodologi (30%)		3			3
d. Kelengkapan unsur dan kualitas terbitan (30%)		3			2
Total = (100%)		10			8

Nilai Pengusul : $40\% \times 8 = 3,2$

Catatan Peer Reviewer :

1. Tentang Kelengkapan Unsur isi

Isi artikel sudah sesuai dengan format dan kaidah yang berlaku secara umum dalam penulisan seminar internasional

2. Ruang lingkup dan kedalaman pembahasan

Artikel yang ditulis sudah sesuai dengan bidang ilmu penulis

3. Kecukupan dan Kemutakhiran data / informasi dan metodologi

Data dan informasi yang disajikan sudah sangat baik

4. Kelengkapan unsur dan kualitas terbitan

Unsur penerbit sudah lengkap, kualitas baik memuat artikel sesuai bidang ilmu

5. Indikasi Plagiasi

Tidak terdapat indikasi plagiasi

6. Kesesuaian bidang ilmu

Artikel sesuai dengan bidang ilmu farmasi

Makassar, 21 September 2022

Reviewer 2



Nama : Dr. Hj. Nurisyah, M.Si., Apt
NIP : 196505311986032001
Unit Kerja : Poltekkes Kemenkes Makassar
Jabatan Fungsional : Lektor Kepala
Bidang Ilmu : Farmasi

Editorial Team

Editor in Chief

[Dr. Rudy Hartono, SKM.,M.Kes](#), Poltekkes Kemenkes Makassar

Editorial Boards

[Manji Lala](#), Poltekkes Kemenkes Makassar
[Budirman Budirman](#), Poltekkes Kemenkes Makassar, Indonesia
[Mira Andini](#), Poltekkes Kemenkes Makassar
[Ikhsan Dermawan Syamsul](#), Poltekkes Kemenkes Makassar
[Hamsar Hasfat](#), Poltekkes Kemenkes Makassar, Indonesia
[Fajar Akbar](#), Department of Environmental Health, Mamuju Health Polytechnic, Indonesia
[Muhammad Askar S.Kep,Ns.,M.Kes](#), Jurusan Teknologi Laboratorium Medis Poltekkes Kemenkes Makassar, Indonesia

Layout Editor

[Budirman Budirman](#), Poltekkes Kemenkes Makassar, Indonesia

ISSN: 2808-8352

[OPEN JOURNAL SYSTEMS](#)

[Journal Help](#)

USER

Username
Password
 Remember me

NOTIFICATIONS

- [View](#)
- [Subscribe](#)

LANGUAGE

Select Language

JOURNAL CONTENT

Search
Search Scope

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)

FONT SIZE

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

Vol 2, No 1 (2019)

Interprofessional Proceedings Collaboration on Urban Health

DOI: <https://doi.org/10.32382/uh.v2i1>

This International Conference is entitled: The 2nd Internasional Conference Interprofessional Collaboration on Urban Health; A Strategy for All Nations, and In Collaboration with the center of excellence in the urban health study center. This conference is organized by Makassar Health Polytechnic in collaboration with Palu Health Polytechnic and Mamuju Health Polytechnic. The conference also supported by Management & Science University and Lincoln University College, Malaysia

The 2nd International Conference on Urban Health also attract representatives from Budi Luhur International Network for Education (BIN for Edu), lecturer, practician, policymakers from Ministry of Health and Local Government, and health students.

As academia, we would like to do our best to carry out an international conference on urban health to present the newest and the recent research product related to urban health for better understanding, evaluating of research in this area, and developing a strategy for all nations on managing urban health.

This international conference aims to present and to evaluate the newest and the recent interprofessional research product for developing a new strategy managing urban health on all nations.

Scope of the conference are listed below :

- Climate risk
- Air pollution
- Housing-related health risks
- Urban green spaces
- Unsafe drinking water, sanitation, and waste management
- Nutrition insecurity and unhealthy diets
- Stunting
- Food safety
- Sport, exercise, and recreation
- Physical and mental health
- Maternal and child urban health
- Stress and sleep disturbances
- Non-communicable disease
- Drug abuse and misuse
- Herbal medicine
- Sexual behavior and transmitted disease-related
- Expensive medical check and treatment
- Oral health
- And any other urban health risk related

The present volume contains selected abstract about health urban held on July 18-19, 2019 in Makassar Indonesia.

We would like to thank all those who have contributed. We hope this proceeding can be useful to support the development of science particularly with respect to the quality of human resource development and research in the future

Table of Contents

Articles

TREATMENT OF ANEMIA IN PREGNANT WOMAN USING NUTRITION CARE PROCESS (NCP) APPROACH; Case Study in Salewangeng Health Centre, Wajo Regency) <i>Andi Asmaul Husna, Asmaruddin Pakhri, Rudy Hartono</i>	PDF (FULL TEXT)
CONTAMINATION OF WORM EGGS IN CABBAGE (BRASSICA OLERACEA) AND LETTUCE VEGETABLES (LACTUCA SATIVA) IN TRADITIONAL MARKETS OF MAKASSAR <i>Fatmawati Rahim, Andi Ruhban, Wahyuni Sahani</i>	PDF (FULL TEXT)
ION EXCHANGE FILTER MEDIA CAPABILITIES REDUCE LEVEL OF NITRATE DUG WELL WATER COASTAL AREA REGIONAL <i>Ain Khaer, Budirman Budirman</i>	PDF (FULL TEXT)
THE EFFECT OF THE DURATION OF MORNING PHELGM STORAGE AT ROOM TEMPERATURE ON THE NUMBER OF ACID RESISTANT BACTERIA <i>Artati Artati, Arfiani Nur, Subakir Salnus</i>	PDF (FULL TEXT)
DETERMINATION OF TOTAL PHENOLIC CONTENT (TPC) AND ANTIOXIDANT ACTIVITY OF LONGAN (Euphoria Longana) SEED AND PEEL EXTRACTS <i>Alfrida Monica Salasa, St Ratnah</i>	PDF (FULL TEXT)
BODY PICTURE AND EATING BEHAVIOR OF THE ADOLESCENT GIRL IN NUTRITION DEPARTMENT	PDF (FULL TEXT)

OPEN JOURNAL SYSTEMS

Journal Help

USER

Username
Password
 Remember me

NOTIFICATIONS

- ▶ [View](#)
- ▶ [Subscribe](#)

LANGUAGE

Select Language

JOURNAL CONTENT

Search
Search Scope

Browse

- ▶ [By Issue](#)
- ▶ [By Author](#)
- ▶ [By Title](#)
- ▶ [Other Journals](#)

FONT SIZE

INFORMATION

- ▶ [For Readers](#)
- ▶ [For Authors](#)
- ▶ [For Librarians](#)

THE STANDARDIZED NUTRITION CARE PROCESS FOR MALNUTRITION TODDLERS IN ENREKANG DISTRICT <i>Hasriani Syamsul, Manjilala Manjilala, Sirajuddin Sirajuddin</i>	PDF (FULL TEXT)
EFFECTIVENESS TEST OF THE COMBINATION OF ETHANOL EXTRACT OF MIANA LEAVES (COLEUS SCUTELLARIOIDES (L.) BENTH) AND PEGAGAN LEAVES (CENTELLA ASIATICA (L.) URB) AS ANTIBACTERIAL AGAINST STREPTOCOCCUS PNEUMONIAE AND KLEBSIELLA PNEUMONIAE CAUSING COUGH <i>Kasih Karunia, Afica Prisca Pandin, Sesilia R. Pakadang</i>	PDF (FULL TEXT)
CORRELATION OF EDUCATION LEVEL AND SOCIO-ECONOMIC WITH STUNTING CASE FOR TODDLERS IN THE WORKING AREA OF UPT LAU HEALTH CENTER, LAU SUB-DISTRICT, MAROS REGENCY <i>Alfiah Alfiah</i>	PDF (FULL TEXT)
THE RELATIONSHIP BETWEEN KNOWLEDGE WITH PREGNANT WOMEN'S BEHAVIOR IN THE FIRST SEMESTER ABOUT EMESIS GRAVIDARUM AT MANGASA HEALTH CENTER, MAKASSAR <i>Khairun Nisa Lukman, Subriah Subriah, Rostiaty Natsir</i>	PDF (FULL TEXT)
IMPROVEMENT OF METABOLIC DISORDERS AND NUTRITIONAL INTAKE AND ANTHROPOMETRIC STATUS STUNTING TODDLERS WITH CYSTEINE AMINO ACID SUPPLEMENTATION <i>Hendrayati Hendrayati, Andi Toewo Titi, Zakaria Zakaria</i>	PDF (FULL TEXT)
FACTORS RELATED TO SELF MEDICATION IN PAI III OF BIRINGKANAYA SUBDISTRICT MAKASSAR <i>agust dwi djajanti, Ermawati Ermawati, Yusriyani Yusriyani, Dzulasfi Dzulasfi, Rusli Rusli</i>	PDF (FULL TEXT)
DETERMINANT FACTORS OF SEXUAL ORIENTATION IN YOUNG-GAY, SHEMALE, MEN WHO SEX WITH MEN (MSM)IN MAKASSAR CITY <i>Sri Nurjianti, Mirna Mirna, Andi Asrina, Arman Arman</i>	PDF (FULL TEXT)
PROFILE TOTAL POLYPHENOLOF THE ETHANOL EXTRACT FROM DENGEN (Dillenaserrata) LEAF AND STEM BARK WHICH COMES FROM MALANGKE CITY LUWU DISTRICT <i>Santi Sinala, Ismail Ibrahim, Alfrida Monica Salasa</i>	PDF (FULL TEXT)
THE ROLE OF PUBLIC HEALTH WORKERS AS A FACILITATOR IN PREVENTING OF MATERNAL DEATH IN GOWA DISTRICT <i>Yusriani Yusriani, Muhammad Khidri Alwi, Yuni Romalita, Serawati Dewi</i>	PDF (FULL TEXT)
PREGNANT MOTHER'S BEHAVIOR IN THEIR FIRST PREGNANCY EXAMINING IN THE WORKING AREA OF JUMPANDANG BARU HEALTH CENTER, MAKASSAR CITY <i>Nurul Amaliah Abbas, Theresia Limbong, Subriah Subriah</i>	PDF (FULL TEXT)
THE RELATIONSHIP BETWEEN EARLY INITIATION OF BREASTFEEDING AND FREQUENCY OF BREASTFEEDING WITH UTERINE INVOLUTION IN POSTPARTUM MOTHERS AT MAMAJANG HEALTH CENTER MAKASSAR CITY <i>Nurul Annisani, Fitriati Sabur, Agustina Ningsi</i>	PDF (FULL TEXT)
RELATIONSHIP BETWEEN LEVEL OF EDUCATION AND MOTHER'S KNOWLEDGE ABOUT STIMULATION, DETECTION AND EARLY INTERVENTION OF CHILD DEVELOPMENT (SDIDTK) WITH CHILD DEVELOPMENT IN CAMBAYYA URBAN VILLAGE <i>Sulastri Sulastri, Ros Rahmawati, Rostiaty Natsir</i>	PDF (FULL TEXT)
THE RELATIONSHIP BETWEEN KNOWLEDGE AND ATTITUDE OF POSTPARTUM MOTHER ABOUT PROPER BREASTFEEDING TECHNIQUES WITH BREAST MILK DAM PROBLEM IN THE PUBLIC HEALTH CENTER OF JUMPANDANG BARU MAKASSAR CITY <i>Ummu Salmah Syafruddin, Syaniah Umar, Andi Syintha Ida</i>	PDF (FULL TEXT)
ZINC AND PROTEIN LEVELS IN NUGGETS WITH BLOOD CLAM (Anadara granosa) SUBSTITUTION <i>Alya Fajrani Rizal, Hendrayati Hendrayati, Sunarto Sunarto</i>	PDF (FULL TEXT)
ACCEPTABILITY AND TEST THE LEVELS OF PROTEIN AND CALCIUM IN A CHEESE STICK WITH THE SUBSTITUTION OF MACKEREL <i>Charles Patrick Maliando Nely, Fatmawaty Fatmawaty, Rudy Hartono</i>	PDF (FULL TEXT)
ANALYSIS OF DIFFERENCES IN ERYTHROCYTE MORPHOLOGY IN K3EDTA AND Na2EDTA BLOOD CLOTS BASED ON TIME SAMPLE STORAGE <i>Rahmat Aryandi, Subakir Salnus, AR Pratiwi Hasanuddin, Asdinar Asdinar</i>	PDF (FULL TEXT)
THE PATIENT SATISFACTION ON DRUG INFORMATION SERVICES IN PHARMACY INSTALLATION OF ANDI MAKKASAU HOSPITAL IN PAREPARE, SOUTH SULAWESI <i>Sainal Edi Kamal, Rina Asrina, Muh Farid Hasyim, Rusli Rusli, zulfiah zulfiah</i>	PDF (FULL TEXT)
RELATIONSHIP BETWEEN AGE AND PARITY OF MOTHER WITH PRE-ECLAMPSIA OCCURRENCE IN PREGNANT WOMEN IN THE WORK AREA OF THE PUSKESMAS MANGASA, MAKASSAR CITY <i>Alfi Syahar Yakub, Iwan Sain, Sukma Saini</i>	PDF (FULL TEXT)
ENVIRONMENTAL HEALTH POST FLASH FLOODS DISASTER (A STUDY CASE IN SOUTH-DOLO SUBDISTRICT, REGENCY OF SIGI) <i>Amsal Amsal, Hasanudin Hasanudin, Saharudin Saharudin</i>	PDF (FULL TEXT)
ANALYSIS OF RISK FACTORS OF STUNTING IN KINDERGARTEN IN BORONG PA'LALA, GOWA REGENCY <i>St Aminah, Sukma Saini</i>	PDF (FULL TEXT)
HUSBAND SUPPORT AND THE ACTIVITY OF HEALTH OFFICERS TO ANTENATAL CARE (ANC) VISITS OF PREGNANT WOMEN <i>Lisnawati Lisnawati, Sumiaty Sumiaty, Unun Fadliah</i>	PDF (FULL TEXT)
ANALYSIS OF THE USE OF DRUG CATEGORY OFF LABEL IN HOSPITAL PATIENTS AT HOSPITAL <i>Rusli rusli, Junaedi Junaedi, Hubbi HP, Agust Dwi Djajanti, Jefrin Sambara, Nielma Aulia, Herman Herman</i>	PDF (FULL TEXT)
THE EFFECT OF THE BALL GRASPING THERAPY ON THE STRENGTH OF UPPER LIMB MUSCLES IN POST-STROKE PATIENTS FROM STELLA MARIS HOSPITAL IN MAKASSAR <i>Henny Pongantung, Rosdewi Rosdewi, Armilla Ruthnianingsih, Asniati Asniati</i>	PDF (FULL TEXT)
THE IMPLEMENTATION OF THE ROLE AND FUNCTION OF FAMILY AND TAKEHOLDER INTEREST IN SUPPORTING FULFILLMENT OF THE FIRST 1000 DAYS OF A CHILD'S LIFE <i>Ruslan Hasani, Akhmad Akhmad, Ramlah Dilla</i>	PDF (FULL TEXT)
THE EFFECT OF EDUCATIONAL COUNSELING ON THE KNOWLEDGE OF THE AMPUTEE IN USING AND CARING THE PROSTHESIS <i>Burlian Mughnie, Galuh Nurul Annisa, Ahmad Jet Adyas</i>	PDF (FULL TEXT)

THE RELATION OF LENGTH OF USE THE INJECTED CONTRACEPTION WITH SEXUALITY ON FERTILE WOMEN IN COVERAGE AREA OF PUSKESMAS CAILE, BULUKUMBA, INDONESIA <i>Ernawati Ernawati, Alfiah Alfiah, M Askar</i>	PDF (FULL TEXT)
RISK BEHAVIOR OF MEN WHO HAVE SEX WITH MEN (MSM) IN BULUKUMBA DISTRICT, 2019 <i>Intan Deasy Agmaitry, Sukirawati Sukirawati, Sri Salmawati, Andi Asrina, Fairus Prihatin Idris</i>	PDF (FULL TEXT)
THE DIFFERENCE OF EFFECTIVENESS BETWEEN CHITOSAN PLASTERS, NaCl, AND BETADINE IN HEALING WOUNDS ON GUINEA PIGS (Cavia Porcellus) <i>Rusmini Rusmini, Andrayani Andrayani</i>	PDF (FULL TEXT)
THE ROLE OF YOUTH NUTRITION CADRES IN THE SELECTION OF YOUTH SNACK FOODS IN SCHOOLS <i>Asmarudin Pakhri, Abdullah Tamrin</i>	PDF (FULL TEXT)
ANALYSIS OF CONTENTS OF MACRO AND MICRO NUTRITION IN THE COUPLES OF GUDE NUT FLOUR (CAJANUS CAJAN) AND MOCAF FLOURS (MODIFIED CASSAVA FLOUR) <i>Chaerunnimah Chaerunnimah, Aswita Amir</i>	PDF (FULL TEXT)
FACTORS CAUSING NON-HEMORRHAGIC STROKE AT THE AGE OF YOUNG ADULTS <i>Hendrik Hendrik, Yonathan Ramba, Andy MA Hariandja</i>	PDF (FULL TEXT)
THE BALANCE OF BIO CULTURE AND SOCIOCULTURE WITHIN FOOD CULTURE (Case: Obesity at Buginess Ethnic) <i>Hikmawati Mas'ud</i>	PDF (FULL TEXT)
ACCEPTABILITY AND NUTRITION INGREDIENTS OF TEMPEH STICK WITH ANCHOVY FLOUR ADDITION <i>Lydia fanny, Yusdalifah Anna, Nursalim Nursalim</i>	PDF (FULL TEXT)
THE EFFECT OF NUTRITION EDUCATION THROUGH WHATSAPP TO THE NUTRITIONAL KNOWLEDGE OF MOTHERS ABOUT FOOD CHILDREN PICKY EATER <i>Nadimin Nadimin, Zakaria Zakaria, Sitti Arumwulandari</i>	PDF (FULL TEXT)
IDENTIFICATION OF PRESCRIBING ERRORS IN A PEDIATRIC OUTPATIENT AT RSUD LANTO DAENG PASEWANG KABUPATEN JENEPONTO <i>Raimundus Chalik</i>	PDF (FULL TEXT)
IRON IN COOKIES WITH BEEF FLOUR SUBSTITUTE <i>suriani rauf, Asmarudin Pakhri, Hasmawati Hasmawati</i>	PDF (FULL TEXT)
NUTRITIONAL EDUCATION EFFECTS THROUGH INSTAGRAM ON ENERGY INFLUENCE AND YOUTH NUTRITION STATUS <i>Thresia Dewi Kartini, Agustian Ipa, Ayu Wirdani</i>	PDF (FULL TEXT)
COMPATIBILITY TEST DIAGNOSTIC KITS OF NONSTRUCTURAL-1 DENGUE ANTIGEN IMMUNOCROMATOGRAPHY METHOD OF PATIENT'S SERUM WITH SUSPECT DENGUE HAEMORRHAGIC FEVER <i>Yaumil Fachni Tandjungbulu, Zulfikar Ali Hasan, Haerani Haerani</i>	PDF (FULL TEXT)
INFLUENCE OF POCKET BOOKS AND POSTPARTUM MATERNAL COMPANIONS AGAINTS ON THE NEONATAL REGULARITY AND POSTPARTUM VISITS IN MAMUJU DISTRICT 2018 <i>Agus Erwin Ashari, Ahmady Ahmady</i>	PDF (FULL TEXT)
ANALYSIS OF PROLONGED LABOR AND PREMATURE RUPTURE OF MEMBRANES RISK FACTORS ON THE OCCURRENCE OF ASFIKZIA IN A NEW BORN BABIES IN MAMUJU DISTRICT, 2017 - 2018 <i>Ahmady Ahmady, Ashriady Ashriady, Dina Mariana</i>	PDF (FULL TEXT)
EFFECTIVENESS DIFFERENCE OF SWEET ORANGE PEEL EXTRACT (CITRUS SINENSIS) AND LIME PEEL EXTRACT (CITRUS AURANTIFOLIA) AS BIOLARVASIDA FOR Aedes AEGYPTI LARVAE <i>Fahrul Islam, Fajar Akbar</i>	PDF (FULL TEXT)
EFFECTIVENESS OF POMELO (Citrus maxima) AND LIME (Citrus aurantifolia) ORANGE PEEL EXTRACT AS Aedes aegypti BIOLARVASIDA <i>Fajar Akbar, Fahrul Islam</i>	PDF (FULL TEXT)
CONSUMPTION OF THE VEGETABLE AND FRUIT IN ELEMENTARY SCHOOL IN MAMUJU REGENCY, WEST SULAWESI <i>Hapzah Hapzah, Ulfa Ulfa</i>	PDF (FULL TEXT)
AGE OF THE FIRST MARRIED AS ONE OF FACTORS APPEARING CHILDREN WITH STUNTING IN POLEWALI MANDAR DISTRICT, WEST SULAWESI <i>Irma Muslimin, Adriyani Adam, Abdul Ganing</i>	PDF (FULL TEXT)
EFFECTIVENESS OF MANGROVE PLANT (Rhizophora stylosa) AS NATURAL LARVICIDES OF Aedes aegypti <i>Ridhayani Adiningsih, Fajar Akbar</i>	PDF (FULL TEXT)
THE RELATION BETWEEN PARENTING PATTERN WITH THE DEVELOPMENT OF BADUTA IN MAMUJU REGENCY, WEST SULAWESI <i>Supratti Supratti, Zuhaini Sartika A. Pulungan</i>	PDF (FULL TEXT)
NUTRIENT CONTENT ON MORINGA SEEDS BASED ON AGE OF THE FRUIT <i>Yudianti Yudianti, Muh Hasyim, Najdah Najdah</i>	PDF (FULL TEXT)
THE EFFECT OF HONEY GIVING ON WEIGHT GAIN OF TODDLERS IN MAMUJU DISTRICT <i>Rahmat Haji Saeni, Hapzah Hapzah, Erdiawati Arief</i>	PDF (FULL TEXT)
Deep Breathing Relaxation Technique toward Decrease Pain Intensity in Post Operative Patients at Mamuju District Public Hospital <i>Imelda Appulembang, Asrie Abu</i>	PDF (FULL TEXT)

DETERMINATION OF TOTAL PHENOLIC CONTENT (TPC) AND ANTIOXIDANT ACTIVITY OF LONGAN (*Euphoria Longana*) SEED AND PEEL EXTRACTS

Alfrida Monica Salasa¹, St. Ratnah^{1a}

¹Pharmacy Department, Health Polytecnic of Makassar

^aCorresponding author : mansjurratnah@yahoo.com

ABSTRACT

Longan (*Euphoria longana*) is a widely consumed fruit in Indonesia. The flesh is consumed, while the seed and the peel of Longan remain as waste despite of its chemical contents such as phenolic compounds (phenolic acids and flavonoids) with antioxidant properties. This study aimed to determine the total phenolic contents (TPC) and antioxidant activity of Longan seed and peel extract and to find out the relationship between total phenolic content and antioxidant activity. The seed and peel of Longan was separated from the flesh, then mashed and then dried. Furthermore, Longan seed was extracted by soxhletation method and fruit peel was extracted by maceration method using 96% ethanol as a solvent. The diluted extract was evaporated until a concentrated extract was obtained. The TPC was determined using Folin ciocalteu reagent and the absorption was measured using a UV-VIS spectrophotometer at a wavelength of 745 nm. Antioxidant activity was determined using 1,1-diphenyl-2-picryl-hydrazil (DPPH) reagent and the absorption was measured using a UV-VIS spectrophotometer at a wavelength of 516 nm. The TPC of Longan seed extract was 17.24% while fruit peel extract was 9.67%. Antioxidant activity expressed as IC₅₀ for seed extracts was 57.24 ppm (strong antioxidant) and fruit peel extracts was 120.82 ppm (moderate antioxidant). These results indicate that Longan seed extract has a higher TPC and stronger antioxidant activity compared to Longan fruit peel extract. It can be concluded that the higher the TPC the more active the antioxidant activity

Keywords : Longan Seed Extract, Longan Peel Extract, TPC, Antioxidant Activity

INTRODUCTION

Natural plants contain phytochemical compounds with antioxidants and antibacterial properties. Longan (*Euphoria longana*) Stend (Harborne, 1987) is a widely consumed fruit in Indonesia with aforementioned properties. The most edible part of the fruit is the flesh, while the seed and the peel remain as organic waste. Despite as organic waste, both contain phytochemical compounds that can be used both as antioxidants and antibacterial. Based on the results of several scientific studies, Longan seed and peel have various chemical compounds. Jaitrong et al. (2006) reported that the chemical content in the fruit peel is gallic acid, flavone glycoside, and hydroxynamic with the main content of flavone in the form of quercetin and kaemferol while Longan Seed Components are in the form of Phenolic and Flavonoids. Some of chemical compounds that actively act as antioxidants include polyphenol compounds (phenolic acids and flavonoids), alkaloids, steroids or triterpenoids (saponins), and anthraquinones (Bai et al, 2013 in Perwiratami et al, 2014).

METHOD

1. Sample Preparation

Longan fruit were collected from the fruit store. The fruit was washed and left

to dry. The flesh was separated from the peel and the seed. The seed was washed to remove the remaining flesh. After that, the seed was roughly grown and dried. The peel was cut into small pieces and left to dry.

2. Extract Preparation

Longan seed was extracted by soxhletation method and fruit peel was extracted by maceration method using 96% ethanol as a solvent. The diluted extract was evaporated until a concentrated extract was obtained.

3. Determination of TPC

a. Qualitative Evaluation

The concentrated extract was dissolved in 2 ml of ethanol 96%, added 1 ml of 10% Ferric Chloride. The formation of dark blue, blackish blue or greenish black color indicates the presence of phenolic compounds.

b. Quantitative Evaluation

Standard solution of gallic acid series 10, 20, 30, 40, 50 and 60 ppm was prepared. 25 mg of each extract was weighed and transferred into 25,0 ml volumetric flask, then it was diluted by ethanol 96% to make a stock solution of 1 mg/ml. 2,0 ml of stock solution was diluted in a 10 ml volumetric flask

to make a final concentration of 0,2 mg/ml. Each standard solution and diluted extracts was piped as much of 0.3 mL and then transferred into a vial. 1,5 ml of Folin (1:10) was added and left to stand for 3 minutes. After 3 minutes, 1,2 mL of 7,5% Sodium Carbonate was added and let it sit for 30 minutes. The absorption was measured using a UV-VIS spectrophotometer at a wavelength of 745 nm.

The antioxidant activity was measured based on the method developed by Mensor et al with some modifications, using 2,2-diphenyl-1-picryl-hydrazyl (DPPH). Stock solution of 1 mg/ml of the extract were diluted in ethanol to final concentration of 15, 30, 45, 60 and 75 µg/ml (ppm) for the Longan seed extract and a final series concentration of 30, 60, 90, 120 and 150 for the Longan peel extract. DPPH solution were added to the diluted sample and allowed to react at room temperature for 30 minutes. Each concentration was replicated three times. The absorbance values were measured at 516 nm

4. Antioxidant Activity Assay

RESULT AND DISCUSSION

1. TPC

a. Qualitative Test

Type of Extract	Reagent	Observation	Conclusion
Seed	FeCl ₃	Blackish green	+
Peel	FeCl ₃	Blackish Green	+

b. Quantitative Test

The TPC was determined using Folin ciocalteu reagent and the absorption was measured using a UV-VIS

spectrophotometer at a wavelength of 745 nm, the result was shown at the table below :

Sample	Weight (gram)	TPC (mgGAE/g extract)	TPC (%)	TPC Average (%)
Seed Extract	0,0251	177,04	17,70	17,24
	0,0255	171,67	17,17	
	0,0258	168,45	16,85	
Peel Extract	0,0258	89,19	8,92	9,67
	0,0254	103,05	10,31	
	0,0253	97,83	9,78	

2. Antioxidant Activity Assay

Antioxidant activity was determined using 1,1-diphenyl-2-picryl-hydrazil (DPPH) reagent and the absorption was measured using a UV-VIS spectrophotometer at a wavelength of 516 nm. The result was presented in the table below :

Table 3. Antioxidant Activity of Longan Seed Extract

Replication	Concentration (ppm)	Absorption	% Inhibition	IC50 (ppm)	IC50 average (ppm)
I	15	0,74264	16,5469	56,61	
	30	0,64901	27,0685		
	45	0,53496	39,8847		
	60	0,42482	52,2615		
	75	0,30145	66,1250		
II	15	0,73623	17,2673	57,09	57,24
	30	0,64431	27,5966		
	45	0,53947	39,3779		
	60	0,41494	53,3717		
	75	0,31886	64,1686		
III	15	0,75146	15,5558	58,02	
	30	0,65104	26,8404		
	45	0,54008	39,3094		
	60	0,42017	52,7841		
	75	0,32888	63,0426		
	DPPH	0,88989			

Table 4. Antioxidant Activity of Longan Peel Extract

Replication	Concentration (ppm)	Absorption	% Inhibition	IC50 (ppm)	IC50 average (ppm)
I	30	0,76442	14,0995	120,21	
	60	0,64870	27,1033		
	90	0,53514	39,8645		
	120	0,44054	50,4950		
	150	0,35386	60,2355		
II	30	0,76225	14,3433	119,99	120,82
	60	0,64683	27,3135		
	90	0,54045	39,2678		
	120	0,44108	50,4343		
	150	0,34946	60,7299		
III	30	0,76089	12,9000	122,25	
	60	0,67917	23,6793		
	90	0,54519	38,7351		
	120	0,45645	48,7071		
	150	0,34788	60,9075		
	DPPH	0,88989			

DISCUSSION

This study aims to determine the TPC and antioxidant activity of Longan Seed and Peel Extract. The most edible part of Longan fruit is the flesh, while the seed and the peel remain as organic waste. However the remaining organic waste contains chemical compounds in the form of phenolic compounds act as antioxidants. Antioxidant

activity of phenolic compound is based on their ability to form phenoxide ions as a donor electron to free radicals to form non-radical compounds.

The seed and peel of Longan was separated from the flesh, then mashed and then dried. Furthermore, Longan seed was extracted by soxhletation method and fruit peel was extracted by maceration method using 96% ethanol as a solvent. The

selection of extraction methods was adjusted to the texture of each simplicia, where the longan peel had a soft texture so that the extraction method used was maceration. While longan seed had a rather hard texture so that the soxhletation method was used. Ethanol 96% which is a semipolar solvent dissolves all polar and nonpolar compounds so that all the natural compounds can be extracted perfectly. The diluted extract was evaporated until a concentrated extract was obtained and tested for TPC and antioxidant activity.

The TPC testing began with a qualitative test using FeCl_3 reagent to determine whether the seed and the peel contain phenolic compounds. Both extract reacted with FeCl_3 forming a blackish green color which confirm the presence of phenolic compounds. The test was continued to determine the TPC quantitatively using Folin ciocalteu reagent and sodium carbonate. This method is based on the strength of reducing the hydroxyl groups of phenolic compounds. Folin ciocalteu reacts with phenolic compounds to form yellow color and after addition of sodium carbonate, the solution will be in blue color. Sodium carbonate provides an alkaline atmosphere for the overall reaction which allow folin ciocalteu to react with phenolic compounds, which cannot be done in an acidic atmosphere. The presence of aromatic nuclei in phenol compounds reduce phosphotungstate phosphomolibdate to blue molybdenum. The absorption was measured by using UV-VIS spectrophotometry at a wavelength of 745 nm. The standard solution for TPC was gallic acid. The results showed that the TPC equivalent to gallic acid for seed extract was amounted to 17.24% while for the peel extract was 9.67% indicating that the TPC of the seed extract was greater than that of the peel extract.

The next assay was the antioxidant activity assay using DPPH as a reagent. DPPH is a stable free radical with purple color (absorbed at 516nm). If free radicals have been scavenged, DPPH will generated it's color to yellow. This assay uses this character to show herbs free radical scavenging activity. Antioxidant activity is expressed in Inhibition Concentration 50% (IC_{50}). IC_{50} represents the concentration in which the inhibition of free radical DPPH by 50%. Antioxidant activity expressed as IC_{50} for seed extracts

was 57.24 ppm (strong antioxidant (50-100 ppm)) and fruit peel extracts was 120.82 ppm (moderate antioxidant (101-250 ppm)). This result indicated that the longan seed extract has a stronger antioxidant activity than the longan peel extract.

Based on the result on TPC and antioxidant activity, there was a correlation between the TPC and the antioxidant activity. The higher the TPC the stronger the antioxidant activity.

CONCLUSION

Based on the result it can be concluded that:

1. TPC of Longan seed and peel extract was 17,24% and 9,67% respectively.
2. Antioxidant activity expressed as IC_{50} was 57,24 ppm for the Longan seed extract and 120,82 ppm for the Longan peel extract.
3. There was a correlation between the TPC and the antioxidant activity. The higher the TPC the stronger the antioxidant activity

REFERENCES

- Arnelia, 2002, *Fito-Kimia Komponen Ajaib Cegah PJK, DM, dan Kanker* <http://Puslitbangbogor.go.id/>
- Bai, M., Wang, C., Zong, S., Lei, M., Gao, J., 2013, Antioxidant Polyketide Phenolic Metabolites from The Edible Mushroom *Cortinarius purpurascens*, *Food Chemistry*.
- Harborne, J. B., 1987, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*, Penerbit ITB, Bandung.
- Hattenschwiler, S., dan Vitousek, P. M., 2000, *The role of polyphenols interrestrialecosystem nutrient cycling*. Review PII: S0169-5347(00)01861-9 TREE vol. 15, no.6 June 2000.
- Isnindar, Wahyono, S., & Setyowati, E. P., 2011, Isolasi dan identifikasi senyawa antioksidan daun kesemek (*diospyros kaki thumb.*) dengan metode DPPH (2,2-difenil-1-pikrihidrazil). *Majalah Obat Tradisional*. (online), (<https://mot.farmasi.ugm.ac.id/files/938.%20Isnindar.pdf>)
- Jaitrong, S., Nithiya R. and John A. M., 2006, Analysis of The Phenolic

- Compounds in Longan (*Euphoria longan Lour. Steud*) Peel, *Journal*.
- Mailandari, M., 2012, Uji Aktivitas Antioksidan Ekstrak Daun *Garcinia kydia Roxb.* Dengan Metode DPPH dan Identifikasi Senyawa Kimia Fraksi yang Aktif, *Skripsi*, Program Studi Ekstensi Farmasi FMIPA UI Jakarta: tidak diterbitkan.
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicryl-hydrazil (DPPH) for Estimating Antioxidant Activity. *Songklanakar J. Science Technology*.
- Morton, J., 1987, *Fruit of Warm Climates: Longan* Miami. (online), (www.hort.purdue.edu/newcrop/morton/longan.html)
- Nur, S., R., 2011, Aktivitas Antibakteri Ekstrak Etanol Kulit dan Biji Kelengkeng (*Euphoria longan* (Lour.) Steud) terhadap *Escherichia coli* dan *Staphylococcus aureus* serta toksisitasnya terhadap *Artemia salina Lech*". *Skripsi*. Unirversitas Muhammadiyah Surakarta. Surakarta.
- Purwaningsih. S., 2012, Aktivitas Antioksidan dan Komposisi Kimia Keong Matah Merah (*Cerithidea obtusa*) *.Ilmu Kelautan*. (online)
- Radji, M., 2011. *Mikrobiologi*, Buku Kedokteran EGC, Jakarta.
- Rahman, K. M., Kamrun, N., Mohammad, G. U. K., Choudhury, M. H., 2007, Phytochemical and Biological Studies on *Nephelium longan*, *Boletin Latinoamericano y del Caribe de Plants Medicinales y Aromaticans*, (online).
- Soong, Y. Y. and Philip John Barlow, 2005, Isolation and Structure Elucidation of Phenolic Compounds from longan (*Euphoria longan Lour. Steud.*) seed by High-Performance Liquid Chromatography–Electrospray Ionization Mass Spectrometry, *Journal*.
- Triwinata, M.R., 2006, Pengenalan dan Pengembangan Lengkeng Dataran Rendah di Indonesia. *Makalah Workshop Lengkeng*. Jakarta.
- Wardani, H.A., 2015, Aktivitas Antioksidan Vitamin E Alami dan Vitamin E Sintesis Dengan Metode DPPH. *Karya Tulis Ilmiah*. Tidak Diterbitkan. Makassar: Fakultas Farmasi, Politeknik Kesehatan.
- Winarsi, H., 2007, *Antioksidan Alami dan Radikal Bebas Potensi dan Aplikasinya dalam Kesehatan*. Yogyakarta: Kanisius.
- Yu, L., 2008, *Wheat Antioksidants*. New Jersey: John Wiley & Sonns,